

N系列产品是按照美国军标MIL—C—39012研制生产的一种具有螺纹连接机构的中小功率连接器。它具有抗振性强、可靠性高、机械和电气性能优良等特点，广泛地用于无线电设备和仪器中连接射频电缆用。该系列产品能与国际上N系列射频同轴连接器相应产品进行互换。


Series N RF.Coaxial connectors are one kind of middle-power connectors which developed according to MIL-C-39012 , with screw-coupling mechanism, they have the advantages of vibration-proof , high reliability, superior mechanical and electrical performances, etc. They are widely used to connect the RF coaxial cables in radio equipment and instruments and can be interchangeable with the same-type series N RF coaxial connectors of abroad.



主要技术特性		KEY PERFORMANCE	
温度范围 Temperature range	-65 ~ +125℃	绝缘电阻 Insulation resistance	≥5000M Ω
特性阻抗 Characteristic Impedance	50Ω	介质耐压 DielectricWithstanding voltage	1500V
频率范围 Frequency range	0 ~ 11GHz	插入力 Insertion force	≤8.9N
工作电压 Voltage rating	1000V	拔出力 Withdrawal force	≥0.56N
接触电阻 Contact resistance	中心导体 Center conductor	电压驻波比 VSWR	≤1.30
	外导体 Outer conductor	寿命 Durability	500 Cycles


头部配合尺寸

INTERFACE MATING DIMENSIONS







N-50JFD




建议安装开孔尺寸



N-50JFD1等




建议安装开孔尺寸




Type	L1	L2
N-50JFD1	26.2	1.8
N-50JFD2	29.9	5.5




N-50JFD3




建议安装开孔尺寸




N-50JFD4




建议安装开孔尺寸



N-50JFD5




建议安装开孔尺寸







N-50JFD6




建议安装开孔尺寸




N-50JFD7




建议安装开孔尺寸




N-50JFD8




建议安装开孔尺寸




N-50JFD-C



建议安装开孔尺寸




N-50JFD9C







N-50JFD10




建议安装开孔尺寸




N-50JFD11




建议安装开孔尺寸




N-50JFD12




建议安装开孔尺寸




N-50JFD14



建议安装开孔尺寸




N-50JFD15







N-50JFD16




建议安装开孔尺寸





N-50JFD17




建议安装开孔尺寸




N-50JFD19




N-50KFD




建议安装开孔尺寸



N-50KFD1




建议安装开孔尺寸







N-50KFD2




建议安装开孔尺寸




N-50KFD2A




建议安装开孔尺寸




N-50KFD3




建议安装开孔尺寸




N-50KFD4




建议安装开孔尺寸



N-50KFD5




建议安装开孔尺寸




注：外壳三点点铆




N-50KFD5A




建议安装开孔尺寸




N-50KFD6




建议安装开孔尺寸




N-50KFD7




建议安装开孔尺寸




N-50KFD8




建议安装开孔尺寸




N-50KFD9




建议安装开孔尺寸




N-50KFD10




建议安装开孔尺寸




N-50KFD11




建议安装开孔尺寸




N-50KFD12




建议安装开孔尺寸




N-50KFD13




建议安装开孔尺寸



N-50KFD14




建议安装开孔尺寸







N-50KFD16




建议安装开孔尺寸




N-50KFD17




建议安装开孔尺寸




N-50KFD18




建议安装开孔尺寸




N-50KFD19




建议安装开孔尺寸



N-50KFD20




建议安装开孔尺寸







N-50KFD21




建议安装开孔尺寸




N-50KFD22




建议安装开孔尺寸




N-50KFD26




建议安装开孔尺寸




N-50KFD28




建议安装开孔尺寸



N-50KFD29




建议安装开孔尺寸







N-50KFD30




建议安装开孔尺寸




N-50KFD31




建议安装开孔尺寸




N-50KFD33C




建议安装开孔尺寸




N-50KFD34




建议安装开孔尺寸



N-50KFD35




建议安装开孔尺寸







N-50KFD36G




建议安装开孔尺寸




N-50KFD37




建议安装开孔尺寸




N-50KFD38




建议安装开孔尺寸




N-50KFD39




建议安装开孔尺寸



N-50KFD40G




建议安装开孔尺寸







N-50KFD41




建议安装开孔尺寸




N-50KFD42




建议安装开孔尺寸




N-50KFD43




建议安装开孔尺寸




N-50KFD44




建议安装开孔尺寸



N-50KFD45




建议安装开孔尺寸







N-50KFD46




建议安装开孔尺寸




N-50KFD47




建议安装开孔尺寸




N-50KFD48




建议安装开孔尺寸




N-50KFD49




建议安装开孔尺寸



N-50KFD50





建议安装开孔尺寸









N-50KFD51





N-50KFD52





N-50KFD53



N(S)-50KFD54




N-50KFD55







N-50KFD56




建议安装开孔尺寸




N-50KFD57




建议安装开孔尺寸




N-50KFD58




建议安装开孔尺寸




N-50KFD59




建议安装开孔尺寸



N-50KFD60





建议安装开孔尺寸









N-50KFD61





N-50KFD62





N-50KFD63








N-50KFD64G




N-50KFD65G









N-50KFD71




建议安装开孔尺寸




N-50KFD72




建议安装开孔尺寸




N-50KFD73




建议安装开孔尺寸




N-50KFD74




建议安装开孔尺寸



N-50KFD75




建议安装开孔尺寸







N-50KFD76




N-50KFD77




N-50KFD78



N-50KFD79




N-50KFD80.81







N-50KFD83




建议安装开孔尺寸




N-50KFD85




建议安装开孔尺寸




N-50KFD86




建议安装开孔尺寸




N-50KFD87




建议安装开孔尺寸



N-50KFD88




建议安装开孔尺寸







N-50KWFD7




建议安装开孔尺寸




N-50KWFD8




建议安装开孔尺寸




N-50KF等




建议安装开孔尺寸




N-50KFA



建议安装开孔尺寸




N-50JD短路器






N-50JR负载




N-50KR负载



N-JB2等


电缆剥线尺寸




TYPE	D	A	B	Cable TYPE
N-JB2	Φ2.2	4	1	SFT-50-2-1
N-JB3	Φ3.6	3.6	0	SFT-50-3-1
N-JB5	Φ6.1	5	0	SFT-50-5.2
N-JB401	Φ6.5	4.5	0	RG401



N-JFS




电缆剥线尺寸




TYPE	A	B	Cable TYPE
N-JFS	18	6	FSJ4-50B



N-JWB2等




电缆剥线尺寸




TYPE	D	A	B	Cable TYPE
N-JWB2	Φ2.2	7.2	4.7	SFT-50-2-1
N-JWB3	Φ3.6	7.2	4.7	SFT-50-3-1



N-KB2等




电缆剥线尺寸




TYPE	D	A	L	Cable TYPE
N-KB2	Φ2.2	5	25.4	SFT-50-2-1
N-KB3	Φ3.6	4	27	SFT-50-3-1



N-KFB2等




建议安装开孔尺寸




TYPE	D	Cable TYPE
N-KFB2	Φ2.2	SFT-50-2-1
N-KFB3	Φ3.6	SFT-50-3-1




N-KYB2等



建议安装开孔尺寸




电缆剥线尺寸




TYPE	D	A	Cable TYPE
N-KYB2	Φ2.2	5	SFT-50-2-1
N-KYB3	Φ3.6	4	SFT-50-3-1



N-J4等




电缆剥线尺寸



TYPE	D	A	B	Cable TYPE
N-J4	Φ4.2	10	5	SYV-50-2-2 SFF-50-2-2
N-J5	Φ5.3	10	5	SYV-50-3
N-J7	Φ10.5	10	5	SYV-50-7-1
N-J8	Φ11.5	10	5	SYV-50-7-2
N-J12	Φ5.2	10	5	SYV-75-3
N-J27	Φ7.4	10	5	SYV-50-5-1
N-J28	Φ8.2	10	5	SYV-50-5-2




N-J3Y等



线夹

电缆剥线尺寸




TYPE	A	B	C	D	E	F	Cable TYPE
N-J3Y	20	10	5	5.4	32.3	6.5	SFF-50-1.5-1
N-J4Y	20	10	5	8	34.5	10	SFF-50-2-2 SYV-50-2-2
N-J5Y	20	10	5	10	36.5	15	SYV-50-3
N-JaY	20	10	5	6.5	33	10	SU-J50-3-5




系列射频同轴连接器 SERIES N COAXIAL CONNECTORS



N-J7Y等




电缆剥线尺寸




TYPE	A	B	C	D	E	F	Cable TYPE
N-J7Y	20	10	5	10	32.1	16	SYV-50-7-1
N-J8Y	20	10	5	10	32.1	16	SYV-50-7-2
N-J27Y	20	10	5	8.3	30.4	10.5	SYV-50-5-1
N-J28Y	20	10	5	8.3	30.4	10.5	SYV-50-5-2



N-J123等




电缆剥线尺寸




TYPE	D	A	B	C	Cable TYPE
N-J123	φ 11.2	13	10	8	SDV-50-7-3
N-J124	φ 13.1	13	10	8	SDV-50-9-3



N-J301S




电缆剥线尺寸




TYPE	A	B	C	D	Cable TYPE
N-J301S	13.3	7.8	5	3.5	SFCF46-50-4-51




N-J303A等




电缆剥线尺寸



TYPE	D	A	B	C	Cable TYPE
N-J301	φ 5.5	14	11	8	SUJ-50-3-5
N-J302	φ 7.7	14	11	8	SUJ-50-5-5
N-J303A	φ 11.2	14	11	8	SUJ-50-7-5



N-JW3A等




电缆剥线尺寸

TYPE	D	Cable TYPE	TYPE	D	Cable TYPE
N-JW3A	φ 3	SYV-50-2-1 SFF-50-1.5-1	N-JW12A	φ 5.2	SYV-75-3
			N-JW13A	φ 7.3	SYV-75-5-1/2
N-JW4A	φ 4.2	SYV-50-2-2 SFF-50-2-2	N-JW15A	φ 10.5	SYV-75-7
			N-JW16A	φ 12.8	SYV-75-9
N-JW5A	φ 5.3	SYV-50-3	N-JW21A	φ 6.5	SDY-4
N-JW7A	φ 10.5	SYV-50-7-1	N-JW27A	φ 7.3	SYV-50-5-1
N-JW8A	φ 11.5	SYV-50-7-2	N-JW28A	φ 8.2	SYV-50-5-2




N-JW5等



TYPE	D	A	B	L	Cable TYPE
N-JW5	5.3	15	5	31.4	SYV-50-3
N-JW7	10.5	15	5	34.8	SYV-50-7-1




N-JW4Y等



TYPE	A	B	C	D	E	F	Cable TYPE
N-JW4Y	20	10	5	8	31.6	10	SYV-50-2-2 SFF-50-2-2
N-JW5Y	20	10	5	8.3	31.9	12	SYV-50-3
N-JW27Y	20	10	5	8.3	31.9	10.5	SYV-50-5-1
N-JW28Y	20	10	5	8.3	31.9	10.5	SYV-50-5-2




N-JW301S



TYPE	Cable TYPE
N-JW301S	SFCF46-50-4-51




N-K4等




TYPE	D	A	B	Cable TYPE
N-K4	$\phi 4.2$	10	5	SYV-50-2-2 SFF-50-2-2
N-K5	$\phi 5.2$	10	5	SYV-50-3
N-K7	$\phi 10.5$	10	5	SYV-50-7-1
N-K28	$\phi 8.1$	10	5	SYV-50-5-2
N-K8	$\phi 11.5$	10	5	SYV-50-7-2



N-KF4等



建议安装开孔尺寸




TYPE	D	L	Cable TYPE
N-KF4	$\phi 4.2$	43.8	SYV-50-2-2 SFF-50-2-2
N-KF5	$\phi 5.3$	43.3	SYV-50-3
N-KF7	$\phi 10.5$	43.3	SYV-50-7-1
N-KF8	$\phi 11.5$	43.8	SYV-50-7-2
N-KF12	$\phi 5.2$	43.8	SYV-75-3
N-KF27	$\phi 7.3$	43.3	SYV-50-5-1




系列射频同轴连接器
SERIES N COAXIAL CONNECTORS




N-KF3A




建议安装开孔尺寸



电缆剥线尺寸




N-KF3A等




TYPE	D	Cable TYPE	TYPE	D	Cable TYPE
N-KF3A	φ 3	SYV-50-2-1	N-KF12A	φ 5.2	SYV-75-3
		SFF-50-1.5-1	N-KF13A	φ 7.3	SYV-75-5-1/2
N-KF4A	φ 4.2	SYV-50-2-2	N-KF15A	φ 10.5	SYV-75-7
		SFF-50-2-2	N-KF16A	φ 12.8	SYV-75-9
N-KF5A	φ 5.2	SYV-50-3	N-KF21A	φ 6.5	SDY-4
N-KF7A	φ 10.5	SYV-50-7-1	N-KF27A	φ 7.3	SYV-50-5-1
N-KF8A	φ 11.5	SYV-50-7-2	N-KF28A	φ 8.1	SYV-50-5-2




N-KF3Y-2




建议安装开孔尺寸




N-KF4Y等



建议安装开孔尺寸




电缆剥线尺寸



TYPE	A	B	C	D	E	F	Cable TYPE
N-KF4Y	20	10	5	8	36.9	10	SYV-50-2-2 SFF-50-2-2
N-KF5Y	20	10	5	10	36.9	12	SYV-50-3
N-KF12Y	20	10	5	10	36.9	12	SYV-75-3




N-KY3Y等




线夹






建议安装开孔尺寸




电缆剥线尺寸




TYPE	A	B	C	D	E	F	Cable TYPE
N-KY3Y	20	10	5	5.4	37.8	6.5	SYV-50-2-1
N-KY4Y	20	10	5	8	40.8	10	SYV-50-2-2 SFF-50-2-2
N-KY5Y	20	10	5	10	42.8	12	SYV-50-3







Cable type:SYV-50-12





Cable type:SYV-50-9



Cable type:HP450




Cable type:HP450



Cable type:HP450




N-JWC9E



Cable type:HP450




N-K9E



Cable type:HP450




N-KC9E



Cable type:HP450




N-J400Y



Cable type:LMR400




N-J400Y-1



Cable type:LMR400




N-J10D



Cable type:10D-FB内导体为直插式连接




N-JW302



Cable type:SUJ-50-5-5




N-JW240Y




Cable type:LMR240



N-KFB3-1




建议安装开孔尺寸




Cable type:SFT-50-3-1




N-50KK




N-50JJ




N-50KKF




建议安装开孔尺寸




N-50KKY



建议安装开孔尺寸




N-50JK







N-50KKK




N-50KJK




N(MF)-50KKY (气密封)




建议安装开孔尺寸




N(M)-50KKY (气密封)



建议安装开孔尺寸



N-75JJ







系列射频同轴连接器
SERIES N COAXIAL CONNECTORS




N-75KKF




建议安装开孔尺寸




N-75KJK




N-75KKY




建议安装开孔尺寸



L29/N-50KK




L29/N-KJ







L29/N-50JK



L29/N-50JJ



N/L16-50KJ



N/L16-50KK

