


2*4*5mm rectangle red led diode (2A5R3SD10)



Product Details:

Place of Origin: Hubei, China (Mainland)

Brand Name: kento

Model Number: 2A5R3SD10

Type: LED

Package Type: Through Hole

color: red

feet type: long feet

Payment & Shipping Terms:

Price: Get Latest Price

Minimum Order Quantity: 1000 Piece/Pieces

Port: Shenzhen

Packaging Details: 1000pcs/bag

Delivery Time: 7-15days

Payment Terms: T/T, Western Union, Bank transfer, Paypal

Supply Ability: 100000000 Piece/Pieces per Day

Detailed Product Description

SUPPLY PRODUCT 2*4*5mm rectangle red led diode (2A5R3SD10) - DIP LED lamp from Hubei Kento Electronic Co., Ltd.

2*4*5mm rectangle red led diode (2A5R3SD10) - DIP LED lamp from Hubei Kento Electronic Co., Ltd.

3mm 5mm led light diodes led emitter

Professional manufacture

Experienced technical staff

Quality approvals, rohs, c

LED diode 2*4*5mm rectangle red led light diodes

Product specification:

Model No	2A5R3SD10
Emitting color	Red
Diameter	2*4*5mm
Packing color	Red
Lens color	Diffuse
Usage voltage(V)	1.8-2.0
Current(MA)	20
View angle	130
Wave length(NM)	645
Luminous intensity (MCD)	15-20
Feet type	Long feet

Packing specification:

1000 pieces in a antistatic bag, 0.25KG around

Features:

1. Size: 3mm, 5mm, 8mm, 10mm, 12mm 0603, 1210/3528, 5050
2. Shapes: round, burgonet, straw cap, Super Flux, SMD, High Power
3. Emitting color: red, yellow, blue, green, white, warm white
4. Beam Angle: 15, 30, 45, 60, 80, 120 degrees
5. Wave length: 450-650nm
6. Forward Voltage: 2.0-2.4V for red, yellow color, 3.0-3.6V for white, blue, green, white
7. Forward Current: 20mA, 350mA, 700mA
8. Lens colors: water clear, color diffused
9. Life Span: 50,000HRS
10. Packing: 1000Pcs/bag
11. With CE/ROHS/ISO9001:2000 Approved

12. Luminous Intensity:

Red: 3000-4000MCD, 4000-6000MCD, 6000-8000MCD, 8000-10000MCD

Yellow: 3000-4000MCD, 4000-6000MCD, 6000-8000MCD, 8000-10000MCD

Green: 11000-13000MCD, 13000-15000mcd, 15000-18000MCD, 18000-20000MCD

Blue: 2000--3000MCD, 3000-4000MCD, 4000-5000MCD, 5000-7000MCD

White: 11000-13000MCD, 13000-15000mcd, 15000-18000MCD, 18000-20000MCD

13. Life Span: 50,000hrs

14. Packing: 1000Pcs/antistatic bag,

Application:

1. Indoor and outdoor commercial lighting

2. Architectural Lighting

3. General lighting

4. Automotive lights

5. Mood Lighting, LED module

6. Traffic Light

7. LCD TV / monitor backlights

8. LED display

9. Reading light, LED torch

10. Craft flashlights, headlights

: